



LVAD Update


Chris Sciamanna, DO, FACC

Advanced Heart Failure and Transplant Cardiology Clinical Assistant Professor of Medicine, University of Illinois at Chicago Advocate Christ Medical Center Oak Lawn, Illinois


Disclosures

No affiliations with pharmaceutical or device companies

What to do when medicine fails?



Clinical Course of HF



Definition of Advanced HF

- •NYHA III or IV symptoms
- Episodes of fluid retention and/or reduced cardiac output at rest
- •Objective evidence of severe cardiac dysfunction shown by at least one of the following:
 - •LVEF < 30%
 - Pseudonormal or restrictive mitral inflow pattern
 - Mean PCWP > 16 mmHg and/or RAP > 12 mmHg by PA catheterization
 - •High BNP or NT-proBNP in absence of non cardiac causes
- •Severe impairment of functional capacity as shown by 1 of the following:
 - Inability to exercise
 - •6MWT \leq 300 m
 - •Peak VO2 < 12-14 mL/kg/min
- •History of ≥ 1 hospitalization in past 6 months
- •All the above despite "attempts to optimize" therapy

Putting it into perspective


NYHA	METs	VO2	Bruce Stage
I	7.5	26.3	≈ 2
II	6	21	1-2
III	4.5	15.8	≈ 1.5
IV	3	10.5	< 1
$1 \text{ MET} = 3.5 \text{ cc O}_2 / \text{min / kg}$			

Advocate Christ Medical Center


Thinking advanced HF

Refer to Advanced HF Cardiologist

- Educate Pt and family about HF
- Review/adjust meds
- If needed, further evaluate patient to determine if Stage D
- Resume follow up with PCP and Cardiologist




Meds Only




NEJM. 2001 Nov; 345(20): 1435-1443

Heart Transplant




Years


cfLVAD




JHLT. 2017 36, 1080-1086DOI











































No thrombosis at 6 months!





In this world, with great power there must also come — great responsibility!

-Stan Lee. Amazing Fantasy #15

